'aktarin' Powder

- This medicine is used to treat fungal and bacterial infections of the skin.
- This medicine is for use by adults and children
- There are some people who should not use this Do not use this medicine: It you are allergic to the active substance, other medicine. To find out if you are one of them See Section 2 >
- Speak to your doctor: It you suffer from any of the conditions similar antifungal medicines or any of the other ingredients of this medicine (listed in section δ)
- If you are taking any other medicines. See Section 2 ► mentioned in Section 2 ▶
- use this medicine. Keep the leaflet: you might Now read this whole leaflet carefully before you need it again. Follow the instructions on how to use this product carefully. See Section 3 ►

What the medicine is for

helps to dry the skin as well as treat the infection. that causes the infection and some of the associated nitrate which works by destroying both the fungus to treat nappy rash. The powder contains miconazole hands, teet, outer ear, trunk or groin. It is also used treat infections of the skin which may appear on the bacteria which may also be present. The powder Daktarin Powder is a medicine which is used to

This medicine is for use in adults and children of

Before using this medicine

are in any doubt, talk to your doctor or pharmacist. children but a few people should not use it. If you X Do not use this medicine... This medicine is suitable for most adults and

If you are allergic to the active substance, other If your infection is on your hair or nails similar antifungal medicines or any of the other ingredients of this medicine (listed in section 6)

from a doctor or pharmacist without using If any of these apply to you, get advice

Talk to your doctor or pharmacist if you

 Oral anticoagulants (drugs used to thin the are taking... Daktarin Powder. **blood**, such as warfarin).

If you are not sure about any of the medicines you are

taking, show the bottle or pack to your pharmacist.

A Special warnings about this medicine If you are pregnant or breast-feeding Ask your doctor or pharmacist for advice before using this medicine if you are pregnant or breast-teeding

Avoid contact with the eyes.

 Daktarin Powder can cause severe allergic Daktarin Powder. See 'Possible side-effects of an allergic reaction while you are taking reactions. You must be aware of the signs

Some of the ingredients can cause problems

GB - AW_172288

This product contains talc. Do not breathe in the powder as this may cause irritation of children and infants. the airways. This is especially important for

3 How to use this medicine

Check the table below to see how often to use

- For cutaneous use only, which means it is applied directly to the affected area of skin.
- Sprinkle the powder onto the infected area and Wash the infected area and dry it well. As many with the infected area. socks, shoes and clothing which are in contact required. The powder can also be dusted inside and is particularly useful where a drying effect is surrounding skin. It may be used on broken skin share it so that you do not infect anyone else. a towel and flannel for your own use and not skin conditions are contagious, you should keep
- Wash your hands carefully after applying the washed and changed frequently. Similarly, clothing which comes into contact with other parts of the body or to other people. powder to avoid spreading the infection to the infected areas, such as socks, should be
- Do not use more often than the stated dose shown in the table





Adults and children of all ages

infected skin twice a day (e.g. at night and in the morning) Adults and children Apply the powder to the

- symptoms have cleared to prevent them from Continue treatment for 10 days after all the coming back.
 - If symptoms persist talk to your doctor.

If anyone has swallowed this product Accident and Emergency department (Casualty), taking this leaflet and pack with Powder, contact a doctor or your nearest If anyone accidentally swallows Daktarin

If you forget to use the medicine

If you forget to use a dose, use the next dose when needed. Do not use a double dose.

4 Possible side-effects

medicines, although these don't affect everyone Daktarin Powder can have side-effects, like all and are usually mild.

If you experience any of the following, stop using the medicine and seek immediate medical help:

- A severe allergic reaction which may include: Swelling of the face, lips, mouth, tongue or
- Difficulty in swallowing or breathing
 - Itchy rash (hives)

skin burning sensation, application site reactions, burning, application site warmth, application site tchiness, skin inflammation, skin discolouration. application site irritation, application site

Other side-effects which may occur but it is unknown how often:

Rash, skin irritation, itchiness or redness

If you experience any side-effects not included in this leaflet or are not sure about anything, talk to your doctor or pharmacist.

Reporting of side-effects

Scheme at: www.mhra.gov.uk/yellowcard or search side-effects not listed in this leaflet. You can also pharmacist or nurse. This includes any possible report side-effects directly via the Yellow Card If you get any side-effects, talk to your doctor, or MHRA Yellow Card in the Google Play or Apple App Store.

nore information on the safety of this medicine. By reporting side-effects you can help provide

5 Storing this medicine

Do not store above 25°C.

Keep this medicine out of the sight and reach of children. Do not use your medicine after the date shown as the expiry date on the packaging. The expiry date refers to the last day of that month.

Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment.

6 Further information

The active ingredient in 1 g of Daktarin Powder s: Miconazole nitrate 20 mg. What's in this medicine?

Other ingredients are: Talc, zinc oxide and colloidal anhydrous silica.

What the medicine looks like

Daktarin Powder is a white powder in bottles of Farm Way, High Wycombe, Buckinghamshire, HP12 4EG, UK. McNeil Products Limited, 50 – 100 Holmers Product Licence holder:

Manufacturer:

armacêutica S.A., Estrada Consiglieri Pedroso 69-B, Queluz de Baixo, 2730-055 Barcarena, usomedicamenta - Sociedade Técnica Portugal.

This leaflet was revised June 2020.

Daktarin is a registered trade mark.



